

CELERIO



6 AIRBAGS AS STANDARD


FOR STYLE THAT NEVER STOPS.


The excitement of the city is endless... The next thrill could be just a turn away! And with its 3D Organic Sculpted Design, its peppy Next Gen K-series engine, and other dynamic features, the Celerio is ready to be your perfect partner in style through it all!













SPACE FOR ALL YOUR STYLE.
















SPIRITED AND ENERGISED.

The Next Gen K10C Engine is the perfect reflection of your spirit, providing a lively and invigorated drive while ensuring India's best fuel-efficiency so you can drive your style anywhere you want. Also available with S-CNG technology, the Celerio brings you a safer, high-performing engine that gives you a dynamic driving experience and greater savings.


INDIA'S MOST FUEL 26.00 km/l





CONVENIENCE JUST BECAME STYLISH.

















CONNECTED AND READY.

The modern age is all about staying connected with the ones you love, and the Celerio makes this effortless. The large 17.78cm Smartplay Studio screen comes with Smartphone Navigation so that you're always connected on the go.



















*AFOR details on functioning of safety features, including air pag, kindly refer to the Direct's Manual.





The Heartect platform adds to the safety of the Celerio by providing a rigid structure for the effective absorption and dispersion of impact force.

HEARTECT PLATFORM









COLOUR SPECIFICATIONS



METALLIC SPEEDY BLUE



METALLIC SILKY SILVER



SOLID FIRE RED



METALLIC GLISTENING GREY



PEARL CAFFEINE BROWN




PEARL ARCTIC WHITE



FEATURE LIST Variants	LXi MT	VXi MT/CNG	ZXi MT	ZXi+ MT	VXi AGS	ZXi AGS	ZXi+AGS
EXTERIORS	- 5	, , ,			in the		
ORVM with Turn Indicators	X	X	- X	*	X	- ×	×
Front Fog Lamps Body-Coloured Bumper	X	X	X	1	X	X	Ý
Body-Coloured ORVMs	X	7	-		1		7
Body-Coloured Outside Door Handles	X	-	-	-7	-	-	
Chrome accent on front grille	- 2	7	-	1	-	-	· ·
B Pillar Black Out Tape	X	X	Х	1	X	X	-
Full Wheel Covers	X	1	1	x	1	/	х
Seattle and the control of the contr	(Center cap)	V	700	-			~
Alloy Wheels R15 (38.02 cm)	X	Х	Х	- 4	Х	X	V
Co-Dr Vanity Mirror in Sun Visor	X		1	4	1	1	1
Dr. Side Sunvisor with ticket holder	-	V.	1	· ·	· ·	· ·	-
Day Night IRVM	X	1	1	4	1	1	7
Front Cabin Lamp (3 Positions)	~	V	~	1	- /	-	· ·
Bottle Holder	6	6	6	6	6	6	6
Driver Seat Height Adjuster	X	Х	X	-	X	X	7
Front Seat Back Pockets (Passenger Side)	/	¥	1	4	1	· ·	*
Rear Seat (60:40 split)	X	V	1-1	4	/ 	· /	V
Front and Rear Headrest Rear Parcel Shelf	Integrated X	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated
SAFETY AND SECURITY		9.	.*	*	1000	y.	
Side and Curtain Airbags*	-	7	1	V	V	· ·	
Dual Front Airbags (Driver and Co-driver)*		2	4	7	7	-	-
Seat Belt Reminder with Buzzer (Front & Rear Seat)	1	2	1	/	1	2	1
Seat Belt Pre-Tensioner & Force Limiters (Dr.+Co-Dr.)		1	7	4	-	-	7
3-Point seat belts for all Seats	1	1	1	1	- 1	-	7
Hill Hold Assist ^{AA}	X	X	X	Х	V	V	V
Impact-Sensing Auto Door Unlock	X	- 7	V	7	1	- 7	7
Pedestrian Protection	/	1	1	~	1	V	¥
ABS with EBD	-	×	- /	/	· ·	/	· /
Electronic Stability Program (ESP*)	1	· ·	4	1	1	· ·	Y
Speed-Sensitive Auto Door Lock	X	¥	4	7	1	× /	×
Headlight Leveling Rear Window Wiper & Washer	X	X			X		4
Front Ventilated Disc	~	-	7	-	~		7
Immobilizer		-	-	7	7	- 2	-
Child-Proof Rear Door Locks	- 2		7	v	V		1
Rear Defogger	X	X	1	1	х	7	1
Speed Alert System ^A	- 2	- 2	V	V	V	~	-
Reverse Parking Assist Sensors	~	*	*	*	4	. 4	*
COMFORT AND CONVENIENCE							
Air Conditioner (Manual)	V.	V	✓.	· /	· · · · · ·	~	1
Pollen Filter	· ·	V	- /	4		V	-
Engine Push Start/Stop with Smart Key	Х	X	Х	¥	X	X	4
Smartplay Studio System with Smartphone Navigation and	X	X	X	1	X	X	1
Voice Command (Android Auto and Apple CarPlay enabled)	Х	X	-	X	Х	-	Х
Smart Play Dock - USB, FM, AUX, BT No. of Speakers	x	x	4	4	X	4	4
Remote Keyless Entry	X	X	7	- -	X		
Security System	x	x	-	×	X	· ·	· ·
Central Door Lock (5 Doors)	x	2	-	-/	2	-	-
Power Windows	X	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr
Power Windows - Auto Down (Driver Side)	X	1	1	1	1	1	1
Outside Mirrors Type	Flap Type	Electrically Adjustable	Electrically Adjustable	Electrically Adjustable	Electrically Adjustable	Electrically Adjustable	Electrically Adjustable
Electrically-Foldable ORVM	х	x	х	-	х	х	
A MANAGEMENT OF THE STATE OF TH	- 22	32.0	5287		1.000	- 95	
Steering-Mounted Audio Controls Steering-Mounted Voice Control	X	X	1	1	X	*	- X
Power-Steering	X	X	X	4	X	X	· ·
Engine Idle Start Stop	· ·	✓ (Petrol)		7	· ·		· /
CENTRAL CONSOLE & INSTRUMENT PANEL		· (r choi)	- 2		360		
	Reddish	Reddish	Reddish	Reddish	Reddish	Reddish	Reddish
Illumination Colour	Amber	Amber	Amber	Amber	Amber	Amber	Amber
Tachometer	Х	X	7	V	1	7	1
Urethane Steering Wheel	- /	7	~	V	1	-	1
Tilt Steering	Х	X	1		X	7	7
Accessory Socket	~	4	1	/	1	~	1
Dial-Type Climate Control	Black	Silver	Silver	Silver	Silver	Silver	Silver
	CHARGO.	Painted	Painted	Painted	Painted	Painted	Painted
Fuel Consumption (Instantaneous and avg.)	× ,	×	× .	4	· ·	Y	Y .
Distance to Empty		· ·	· ·	V	- /		· ·
Gear Position Indicator	X	X	X	Х	· ·	X	· ·
Coor Shift Indicator	1	· ·	· ·	1	X		X
Gear Shift Indicator	- /	- 2	32			- 200	
Door Ajar Warning Lamp	1	7	· /	1	1	¥ .	
	Ź	· ·	· ·	1	7	Š	· ·

SPECIFICATION SHEET		PETROL.	CNG				
Variants		LXi, VXi, VXi AGS, ZXi, ZXi AGS, ZXi+, ZXi+ AGS	VXi				
DIMENSIONS (in mr	n)		. See See See See See See See See See Se				
Overall Length	954	36	95				
Overall Width		1655					
Overall Height		1555					
Wheelbase		2435					
Tread	Front	1430(R14),1440(R15)					
Tread	Rear	1440(R14),1450(R15)					
ENGINE							
Туре		K10C	K10C CNG				
Capacity		998	Bcc				
Engine Type		Alum	inium				
Number of Cylinders	s		3				
Number of Valves in	Each Cylinder		4				
Maximum Output		50.4kW (68.5PS) @ 5600rpm	CNG Mode: 41.7kW (56.6PS) @ 5300rpm Gasoline Mode: 49.8kW (67.7PS) @5600rpm				
Maximum Torque		91.1Nm @ 3400rpm	CNG Mode: 82.1Nm @ 3400rpm Gasoline Mode: 91.1Nm @ 3400rpm				
Emission Standard	Type	BS VI + OBD II					
Accelerator Pedal T	ype	Electric type					
TRANSMISSION			I				
Туре		5MT/ Auto Gear Shift	5MT				
SUSPENSION SYST	EM	*					
Front		Mac Pherson Strut with Coil Spring					
Rear		Torsion Beam with Coil Spring					
WEIGHT (kg)							
Kerb Weight		810 kg (LXI MT); 820 kg (VXI MT); 825 kg (VXI A6S); 830 kg (ZXI+ MT) ZXI A6S); 836 kg (ZXI+ A6S)	915 kg (VXI MT)				
Gross Vehicle Weight		1260	1320				
CAPACITY	_						
Seating Capacity	Persons	5					
Luggage Capacity (L)		292	4				
Fuel Tank Capacity (L)		32	Petrol: 32 CNG: 60 (Water Equivalent)				
POWER STEERING	1	*					
Туре		Electric Powe	Electric Power Steering				
TYRES							
Tyre Size**		ZXi+ -175/60 R 15, LXi	ZXi+ -175/60 R 15, LXi,VXi,ZXi - 165/70 R 14				
BRAKES							
Front		Disc					
Rear		Drs	Drum				

Fr-Front, Rr-Rear, Dr-Driver, MT-Manual Transmission, AGS-Auto Gear Shift




25.24 24.97 km/l Petrol km/l LXi-MT ZXi+ MT, ZXI MT VXi MT

26.00 km/l Petrol ZXI AGS. ZXI+ AGS VXI AGS









100 000 km WARRANTY



COLOUR SPECIFICATIONS

METALLIC



METALLIC

PEARL

METALLIC SPEEDY BLUE GLISTENING GREY ARCTIC WHITE SILKY SILVER

SOLID FIRE RED PEARL

PEARL BLUISH CAFFEINE BROWN

"The claim is specific to CNG & petrol MT categories. Based on SIAM data and JATO Dynamics research dated Oct 17, 2024 for the passenger vehicle segment. Mileage is certified by test agency under rule 116(6) of

All variants LXI, VXI, ZXI & ZXI+ are B3 VI (including OBD II) compliant.

MT: Manual Transmission, AGS: Auto Gear Shift

MT Manual Transmission, AGS. Auto Gear Shift
Maruti Suzuki India Limited reserves the right to change, without notice, price, colours, equipment specifications, and models and also to discontinue models and/or replace any part or accessory with any product.
Accessory and feature shown in the pictures may not be a part of standard equipment and will differ according to the variant. Image used are for illustration purposes only. "For details on functioning of safety features, including air bag, kindly refer to the Owner's Manual. "The speed alert system gives audible warning for alert of over-speed to driver. When vehicle speed exceeds about 80 km/h, primary level warning with two beeps will sound every minute. When the vehicle speed exceeds about 120 km/h, secondary level warning with continuous beeps will sound. If the vehicle is slowed down to about 118 km/h, primary warning will resume. If the vehicle is slowed down to about 78 km/h, speed alert warning will stop. This buzzer does not indicate any malfunction in the bleis. "Speer wheel material is steel (for all variants) and primary is 166,700 R14. ""VDA Method. "Conly applicability to Petrol variants." "Gyears or 1 50,000 km - whichever is earlier. ""Available in all the variants except for LX MT. "Available in all ASO dynamics research dated 7th January. 2026 for the passenger vehicle segment. """Apple and Apple Carplay are trademarks of Apple Inc. registered in the U.S. and other countries. Android Auto", is trademark of Google Inc.

*ABS is a device that assists the driver during braking. It does not eliminate the need to drive safely, for example by slowing down when approaching a corner. ESP is a registered trademark of Mercedes-Benz Group AG